

## **MATERIAL SAFETY DATA SHEET**

-----

**SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION** 

PRODUCT NAME CONREP REPEL

MSDS REVISION NUMBER 0

MANUFACTURER Flowcrete S.A. (Pty.) Ltd.

176 Voortrekker Street

Jacobs 4052

TELEPHONE NUMBER (031) 461 3411

EMERGENCY TELEPHONE NUMBER(S) Rob Weyers

(031) 461 3411

SYNONYMS None

UN NUMBER 1300

PREPARED 11 July 2013

\_\_\_\_\_

SECTION 2 - COMPOSITION

------

**HAZARDOUS COMPONENTS** 1. White spirits

**R - PHRASES** R 21 / 22 / 36 / 38 / 52 / 53

**S - PHRASES** S 1 / 2 / 26 / 28 / 36 / 37 / 39 / 45 / 61

------



**SECTION 3 - HAZARDS IDENTIFICATION** 

.....

**FLAMMABILITY** 2 - Moderate

**HEALTH EFFECTS - EYES** Severe eye irritant.

**HEALTH EFFECTS - SKIN** Skin irritant.

May cause skin sensitisation.

**HEALTH EFFECTS - INGESTION**Harmful if swallowed.

**HEALTH EFFECTS - INHALATION** Severe respiratory tract irritant.

------

**SECTION 4 - FIRST AID MEASURES** 

\_\_\_\_\_

EYE CONTACT Hold eye lids apart and immediately flush with

plenty of water for at least 15 minutes. Seek

medical attention immediately.

SKIN CONTACT Rinse thoroughly with plenty of soap and

water. Remove contaminated clothing and shoes. Seek medical attention if irritation

persists.

**INGESTION** Immediately give plenty of water. Rinse

mouth thoroughly with water. Do not induce vomiting. Seek medical attention

immediately.

**INHALATION** Move to fresh air. If breathing has stopped or

is laboured, give assisted respiration. Seek

medical attention immediately.



**SECTION 5 - FIRE FIGHTING MEASURES** 

**FIRE RATING** 2 - Moderate

PERSONAL PROTECTIVE EQUIPMENT Self-contained breathing apparatus

protective suit.

**EXTINGUISHING MEDIA** Dry chemical powder

Carbon dioxide

Foam Sand

SPECIAL FIRE FIGHTING PROCEDURE Use water to keep exposed containers cool.

If a leak or spill has not ignited, use water spray to disperse the vapours. Prevent runoff from fire control or dilution from entering

streams, sewers, or drinking water supply.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES** 

PERSONAL PRECAUTIONS Wear long sleeved clothing, boots, gloves,

and eye protection.

**ENVIRONMENTAL PRECAUTIONS** Contain or dyke the entire perimeter of the

contaminated area. Ensure that the spilled material does not enter any drains, surface or

ground water.

SPILL CLEAN-UP PROCEDURE Working from the outer circumference of the

contained spill area, absorb the product with sand or sawdust. Collect and place the contaminated materials in an approved disposal container. Dispose of contaminants in accordance with the Local and National Bylaws. Should the spill exceed the in-house capabilities, call a spill responder

immediately.



.....

**SECTION 7 - HANDLING AND STORAGE** 

**STORAGE**Keep in cool, dry, ventilated storage and in closed containers. Store away from all

ignition sources. Avoid sparking conditions.

Ground all transfer equipment.

HANDLING Avoid contact with skin and eyes. Do not

ingest or inhale. When handling, do not eat,

drink or smoke.

-----

SECTION 8 - PERSONAL PROTECTION / EXPOSURE CONTROLS

**EYE PROTECTION** Wear chemical safety glasses or goggles.

Provide readily accessible eye wash stations.

SKIN PROTECTION Wear long sleeved clothing, gloves, and

boots. Provide readily accessible safety

showers.

**RESPIRATORY PROTECTION**Use in a well ventilated area. Wear suitable

breathing apparatus when there is

inadequate ventilation.

INGESTION PROTECTION Wash before eating, drinking or smoking.

Observe the rules of hygiene.

-----

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES** 

\_\_\_\_\_

PHYSICAL FORM
COLOUR
COLOUR
Clear
ODOUR
Solvent
pH
N/A
BOILING POINT
No data
MELTING POINT
No data
FLASH POINT (SOLVENT)
FLAMMABILITY

Mobile liquid
Clear
Nolvent
No data
40 ℃
2 - Moderate

VAPOUR PRESSURE No data

SOLUBILITY IN WATER Not soluble in water



SECTION 10 - STABILITY AND REACTIVITY	
CHEMICAL STABILITY	Stable under normal conditions of use.
CONDITIONS TO AVOID	Heat, sparks, flame and build up of static electricity.
HAZARDOUS DECOMPOSITION PRODUCTS	Burning produces obnoxious and toxic fumes.
SECTION 11 - TOXICOLOGICAL PROPERTIES	
ACUTE ORAL TOXICITY (LD50, RAT)	No data
ACUTE DERMAL TOXICITY (LD50, RABBIT)	No data
ACUTE INHALATION TOXICITY (LD50, RAT)	No data
EYE AND SKIN CONTACT	Severe eye and skin irritant. Repeated exposure may cause skin sensitisation.
CARCINOGENICITY	Not a known carcinogen.
SECTION 12 - ECOLOGICAL INFORMATION	
Material is expected to cause long term adverse effects in the aquatic environment.	
SECTION 13 - DISPOSAL CONSIDERATIONS	
WASTE DISPOSAL	Use a reputable waste disposal contractor. Waste disposal measures must comply with all Local and National By-laws.
SECTION 14 - TRANSPORT INFORMATION	
UN NUMBER	1300
IMO SHIPPING NAME	
	White Spirits
IMO CLASS AND DANGER GROUP	Class 3, Danger Group III
IMO SUBSIDIARY RISK(S)	Marine pollutant.



## SECTION 15 - REGULATORY INFORMATION

**RISK (R) PHRASES** 

R 21 / 22 - Harmful in contact with skin and if swallowed.

R 36 / 38 - Irritating to eyes and skin.

R 43 - May cause sensitisation by skin contact.

R 52 / 53 - Harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment.

**SAFETY (S) PHRASES** 

S 1 / 2 - Keep locked up and out of reach of children.

S 26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 28 - After contact with skin, wash immediately with plenty of water and soap.

S 36 / 37 / 39 - Wear suitable protective clothing, gloves and eye/face protection.

S 45 - In case of accident or if you feel unwell, seek medical advice immediately.

S 61 - Avoid release to the environment. Refer to special instruction / material safety data sheet.

uala Sileel.

## CECTION 4C OTHER INFORMATION

SECTION 16 - OTHER INFORMATION

Alert workers to this hazardous potential and ensure precautions are taken. In cases of any discomfort always seek medical advice.

------

All information is given in good faith but without guarantee in respect of accuracy. No responsibility is accepted for error of omission or the consequences thereof.

Flowcrete (SA) Pty Ltd (2003/029560/07)
176 Voortrekker Street Jacobs Durban 4052
Tel: +27 31 461 3411 Fax: +27 31 461 3475
47 Forge Road Spartan Kempton Park Johannesburg 1620
Tel: +27 11 394 1980 Fax: +27 11 394 3003
Unit 5 55 Manhattan Street Boquinar Industrial Park Matroosfontein Cape Town 7490
Tel: +27 21 385 0653 Fax: 086 583 8358
Email: southafrica@flowcrete.com

Flowcrete SA (Pty) Ltd is an RPM Company

Page 6 of 6 MSDS - Conrep Repel