

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME ERAZE

Powdered floor cleaner / degreaser

Sodium carbonate

MSDS REVISION NUMBER

MANUFACTURER Flowcrete SA (Pty.) Ltd.

176 Voortrekker Street

Jacobs 4052

2.

TELEPHONE NUMBER (031) 461 3411

EMERGENCY TELEPHONE NUMBER(S) Rob Weyers

(031) 461 3411

SYNONYMS None

CHEMICAL FAMILY Alkali

UN NUMBER 3253

DATE PREPARED 26 July 2001

SECTION 2 - COMPOSITION

 Disodium trioxosilicate
 Sodium carbonate **HAZARDOUS COMPONENTS**

R-PHRASES R 35

S - PHRASES S 26 / 36 / 37 / 45



SECTION 3 - HAZARDS IDENTIFICATION

FLAMMABILITY

HEALTH EFFECTS - EYES Severe eye irritant

Corrosive - Irreversible damage possible

HEALTH EFFECTS - SKINSevere skin irritant

Corrosive - Can cause severe burns

HEALTH EFFECTS - INGESTION Harmful if swallowed

Corrosive and toxic - Can cause severe

damage.

Minimal

HEALTH EFFECTS - INHALATION Respiratory irritant

SECTION 4 - FIRST AID MEASURES

EYE CONTACTHold eye lids apart and immediately flush with

plenty of water for at least 15 minutes. Seek

medical attention immediately.

SKIN CONTACTRinse thoroughly with plenty of water.

Remove contaminated clothing and shoes. Seek medical attention immediately if

necessary.

INGESTION Rinse mouth thoroughly with water. Do not

induce vomiting. Seek medical attention

immediately.

INHALATION Move to fresh air. If breathing has stopped or

is laboured, give assisted respiration. Seek

medical attention immediately.

SECTION 5 - FIRE FIGHTING MEASURES

FIRE RATING Minimal

SPECIAL FIRE FIGHTING PROCEDURES

Use water to keep fire exposed containers

cool.

REACTIVITY Minimal



SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS Wear protective clothing, boots, gloves, eye

and face protection.

ENVIRONMENTAL PRECAUTIONS Ensure that the spilled material does not

enter any drains.

SPILL CLEAN-UP PROCEDURE Collect and place the contaminated materials

in an approved disposal container. Dispose of contaminants in accordance with the Local and National By-laws. Clean up residual material by washing area with water. Should the spill exceed the in-house capabilities, call

a spill responder immediately.

SECTION 7 - HANDLING AND STORAGE

STORAGE Keep in cool, dry, ventilated storage and in

closed containers.

HANDLING Avoid contact with skin and eyes. Do not

ingest or inhale. When handling, do not eat,

drink or smoke.

SECTION 8 - PERSONAL PROTECTION / EXPOSURE CONTROLS

EYE PROTECTION Wear goggles or full face shield. Provide

readily accessible eye wash stations.

SKIN PROTECTION Wear impervious long sleeved clothing,

impervious gloves, apron and boots. Provide

readily accessible safety showers.

INGESTION PROTECTION Wash

before eating, drinking or smoking. Observe

the rules of hygiene.



SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM Powder COLOUR White ODOUR Pine

pH Solution - □12
BOILING POINT No data
MELTING POINT No data
FLASH POINT > 100 °C
FLAMMABILITY Minimal
VAPOUR PRESSURE No data

SPECIFIC GRAVITY 2.5

SOLUBILITY IN WATER Completely - 100%

SECTION 10 - STABILITY AND REACTIVITY

HAZARDOUS DECOMPOSITION PRODUCTS

CHEMICAL STABILITY Stable under normal handling and storage

conditions.

CONDITIONS TO AVOID Extreme heat.

INCOMPATIBLE MATERIAL Aluminium

Fluorine Sulphuric acid

Carbon dioxide

Sulphune ac

SECTION 11 - TOXICOLOGICAL PROPERTIES

ACUTE ORAL TOXICITY (LD50, RAT) > 4000 mg/kg

ACUTE DERMAL TOXICITY (LD50, RABBIT) No data

ACUTE INHALATION TOXICITY (LD50, RAT) No data

EYE AND SKIN CONTACT Severe eye and skin irritant.

CARCINOGENICITY Not a known carcinogen



SECTION 12 - ECOLOGICAL INFORMATION No data SECTION 13 - DISPOSAL CONSIDERATIONS **WASTE DISPOSAL** Use a reputable waste disposal contractor. Waste disposal measures must comply with all Local and National By-laws. **SECTION 14 - TRANSPORT INFORMATION UN NUMBER** 3253 **IMO SHIPPING NAME** Disodium trioxosilicate, pentahydrate IMO CLASS AND DANGER GROUP Class 8, Danger Group III **IMO SUBSIDIARY RISK(S)** None **SECTION 15 - REGULATORY INFORMATION RISK (R) PHRASES** R 35 - Causes severe burns **SAFETY (S) PHRASES** S 26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 36 / 37 - Wear suitable protective clothing, gloves and eye/face protection. S 45 - In case of accident or if you feel unwell, seek medical advice immediately. **SECTION 16 - OTHER INFORMATION** ______ Alert workers to this hazardous potential and ensure precautions are taken. In cases of any discomfort always seek medical advice.

All information is given in good faith but without guarantee in respect of accuracy. No responsibility is

Flowcrete (SA) Pty Ltd (2003/029560/07)
176 Voortrekker Street Jacobs Durban 4052
Tel: +27 31 461 3411 Fax: +27 31 461 3475
47 Forge Road Spartan Kempton Park Johannesburg 1620
Tel: +27 11 394 1980 Fax: +27 11 394 3003
Unit 5 55 Manhattan Street Boquinar Industrial Park Matroosfontein Cape Town 7490
Tel: +27 21 385 0653 Fax: 086 583 8358

Email: southafrica@flowcrete.com

Flowcrete SA (Pty) Ltd is an RPM Company

accepted for error of omission or the consequences thereof.

Page 5 of 5 MSDS - Eraze