

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME IVORY 120 EPOXY

MSDS REVISION NUMBER 1

MANUFACTURER Flowcrete SA (Pty.) Ltd.

176 Voortrekker Street

Jacobs 4052

TELEPHONE NUMBER (031) 461 3411

EMERGENCY TELEPHONE NUMBER(S) Rob Weyers

(031) 461 3411

SYNONYMS None

CHEMICAL FAMILY Epoxy resin

UN NUMBER 3082

PREPARED October 2012

SECTION 2 - COMPOSITION

HAZARDOUS COMPONENTS 1. Epoxy resin (average molecular weight < 700)

2. Neodecanoic acid glycidyl ester

R - PHRASES S - PHRASESR 36 / 38 / 43 / 51 / 53
S 24 / 26 / 28 / 37 / 39 / 61



SECTION 3 - HAZARDS IDENTIFICATION

FLAMMABILITY 4 - Minimal

HEALTH EFFECTS - EYES Eye irritant.

HEALTH EFFECTS - SKIN Skin irritant.

May cause skin sensitisation.

HEALTH EFFECTS - INGESTION Harmful if swallowed.

HEALTH EFFECTS - INHALATION Vapours are unlikely due to physical properties.

.....

SECTION 4 - FIRST AID MEASURES

EYE CONTACT Hold eye lids apart and immediately flush with plenty

of water for at least 15 minutes. Seek medical

attention immediately.

SKIN CONTACT Rinse thoroughly with plenty of soap and water.

Remove contaminated clothing and shoes. Seek

medical attention if irritation persists.

INGESTION Rinse mouth thoroughly with water. Do not induce

vomiting. Seek medical attention immediately.

INHALATION Move to fresh air. If breathing has stopped or is

laboured, give assisted respiration. Seek medical

attention immediately.

SECTION 5 - FIRE FIGHTING MEASURES

FIRE RATING 4 - Minimal

EXTINGUISHING MEDIA Foam

Dry chemical powder Carbon dioxide Water spray or fog

Sand or earth (for small fires)

SPECIAL FIRE FIGHTING PROCEDURES Fire fighters should wear boots, gloves, long sleeved

overalls and self-contained breathing apparatus.

REACTIVITY 4 – Minimal



SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS Wear long sleeved clothing, boots, gloves, and eye

protection.

ENVIRONMENTAL PRECAUTIONSContain or dyke the entire perimeter of the

contaminated area. Ensure that the spilled material does not enter any drains, surface or ground water.

SPILL CLEAN-UP PROCEDURE Working from the outer circumference of the

contained spill area, absorb the product with sand or sawdust. Collect and place the contaminated materials in an approved disposal container. Dispose of contaminants in accordance with the Local and National By-laws. Should the spill exceed the inhouse capabilities, call a spill responder immediately.

SECTION 7 - HANDLING AND STORAGE

STORAGE Keep in cool, dry, ventilated storage and in closed

containers.

HANDLING Avoid contact with skin and eyes. Do not ingest or

inhale. When handling, do not eat, drink or smoke

SECTION 8 - PERSONAL PROTECTION / EXPOSURE CONTROLS

EYE PROTECTION Wear chemical safety glasses or goggles. Provide

readily accessible eye wash stations.

SKIN PROTECTION Wear long sleeved clothing, gloves, and boots.

Provide readily accessible safety showers.

RESPIRATORY PROTECTION No respiratory protection is required under normal

conditions. Wear suitable breathing apparatus when

there is inadequate ventilation.

INGESTION PROTECTION Wash before eating, drinking or smoking. Observe

the rules of hygiene.



SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM Paste COLOUR White

ODOUR Faint epoxy

pH N/A
BOILING POINT No data
MELTING POINT No data
FLASH POINT > 100 °C
FLAMMABILITY 4 - Minimal
VAPOUR PRESSURE No data

SPECIFIC GRAVITY 1.2

SOLUBILITY IN WATER Soluble in water.

SECTION 10 - STABILITY AND REACTIVITY

CHEMICAL STABILITY Stable

CONDITIONS TO AVOID None. Stable under recommended storage and

handling conditions.

INCOMPATIBLE MATERIALS Strong oxidising substances

SECTION 11 - TOXICOLOGICAL PROPERTIES

ACUTE ORAL TOXICITY (LD50, RAT) No data

ACUTE DERMAL TOXICITY (LD50, RABBIT) No data

ACUTE INHALATION TOXICITY (LC50, RAT)Vapours are unlikely due to physical properties.

EYE AND SKIN CONTACT Eye and skin irritant. Repeated exposure may cause

skin sensitisation.

CARCINOGENICITY Not a known carcinogen.



SECTION 12 - ECOLOGICAL INFORMATION Material is expected to cause short term adverse effects in the aquatic environment. This product is not readily biodegradable. **SECTION 13 - DISPOSAL CONSIDERATIONS WASTE DISPOSAL** Use a reputable waste disposal contractor. Waste disposal measures must comply with all Local and National By-laws. **SECTION 14 - TRANSPORT INFORMATION UN NUMBER** 3082 **IMO SHIPPING NAME** Environmentally hazardous substance, Liquid, N.O.S. **IMO CLASS AND DANGER GROUP** Class 9, Danger Group III **IMO SUBSIDIARY RISK(S)** None **SECTION 15 - REGULATORY INFORMATION RISK (R) PHRASES** R 36 / 38 – Irritating to eyes and skin. R 43 – May cause sensitisation by skin contact.

R 51 / 53 - Toxic to aquatic organisms, may cause

long term adverse effects in the aquatic environment.

SAFETY (S) PHRASES S 24 – Avoid contact with skin.

S 26 - In case of contact with eyes, rinse immediately

with plenty of water and seek medical advice.

S 28 - After contact with skin, wash immediately with

plenty of water and soap.

S 37 / 39 - Wear suitable gloves and eye/face

protection.

S 61 - Avoid release to the environment. Refer to

special instruction / material safety data sheet.



SECTION 16 - OTHER INFORMATION	
Alert workers to this hazardous potential and ensure precautions are taken. In cases of a always seek medical advice.	any discomfort

All information is given in good faith but without guarantee in respect of accuracy. No responsibility is accepted for error of omission or the consequences thereof.

Flowcrete SA (Pty) Ltd is an RPM Company