

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME IVORY 318B ACTIVATOR

General purpose, thixotropic, laminating epoxy

MSDS REVISION NUMBER 1

MANUFACTURER Flowcrete SA (Pty.) Ltd.

176 Voortrekker Street

Jacobs 4052

TELEPHONE NUMBER (031) 461 3411

EMERGENCY TELEPHONE NUMBER(S) Rob Weyers

(031) 461 3411

SYNONYMS None

CHEMICAL FAMILY Cycloaliphatic polyamine

UN NUMBER 1760

PREPARED 27 August 2001

SECTION 2 - COMPOSITION

HAZARDOUS COMPONENTS 1. Isophorone diamine

2. Benzyl alcohol

HAZARD LABELS Corrosive

R - PHRASES S - PHRASESR 21 / 22 / 34 / 36 / 38 / 52 / 53

S 1 / 2 / 26 / 28 / 36 / 37 / 39 / 45 / 61



SECTION 3 - HAZARDS IDENTIFICATION

FLAMMABILITY 4 - Minimal

HEALTH EFFECTS - EYES Corrosive to eyes. Can cause irreversible damage.

Severe eye irritant.

HEALTH EFFECTS - SKIN Corrosive to skin. Can cause burns.

Severe skin irritant.

May cause skin sensitisation.

HEALTH EFFECTS - INGESTION Harmful if swallowed.

HEALTH EFFECTS - INHALATION Severe respiratory tract irritant.

SECTION 4 - FIRST AID MEASURES

Hold eye lids apart and immediately flush with plenty of water for at least 15 minutes. Seek medical attention immediately.

SKIN CONTACT Rinse thoroughly with plenty of soap and water.

Remove contaminated clothing and shoes. Seek

medical attention if irritation persists.

Immediately give plenty of water. Rinse mouth thoroughly with water. Do not induce vomiting. **INGESTION**

Seek medical attention immediately.

Move to fresh air. If breathing has stopped or is **INHALATION**

laboured, give assisted respiration. Seek medical

attention immediately.

SECTION 5 - FIRE FIGHTING MEASURES

FIRE RATING 4 – Minimal

PERSONAL PROTECTIVE EQUIPMENT Self-contained breathing apparatus and protective

suit.

EXTINGUISHING MEDIA High volume water jet.



SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS Wear long sleeved clothing, boots, gloves, and eye

protection.

ENVIRONMENTAL PRECAUTIONS Contain or dyke the entire perimeter of the

contaminated area. Ensure that the spilled material does not enter any drains, surface or ground water.

SPILL CLEAN-UP PROCEDURE Working from the outer circumference of the

contained spill area, absorb the product with sand or sawdust. Collect and place the contaminated materials in an approved disposal container. Dispose of contaminants in accordance with the Local and National By-laws. Should the spill exceed the in-house capabilities, call a spill responder

immediately.

SECTION 7 - HANDLING AND STORAGE

STORAGE Keep in cool, dry, ventilated storage and in closed

containers.

HANDLING Avoid contact with skin and eyes. Do not ingest or

inhale. When handling, do not eat, drink or smoke.

SECTION 8 - PERSONAL PROTECTION / EXPOSURE CONTROLS

EYE PROTECTION Wear chemical safety glasses or goggles. Provide

readily accessible eye wash stations.

SKIN PROTECTION Wear long sleeved clothing, gloves, and boots.

Provide readily accessible safety showers.

RESPIRATORY PROTECTIONWear suitable breathing apparatus when there is

inadequate ventilation.

INGESTION PROTECTION Wash before eating, drinking or smoking. Observe

the rules of hygiene.



SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM Mobile liquid **COLOUR** Pale yellow **ODOUR** Slight N/A pН **BOILING POINT** > 200℃ **MELTING POINT** No data **FLASH POINT** > 100℃ **FLAMMABILITY** 4 - Minimal **VAPOUR PRESSURE** No data **VISCOSITY** 60 - 85 s FC4

SPECIFIC GRAVITY 1.00 SOLUBILITY IN WATER Slight

.....

SECTION 10 - STABILITY AND REACTIVITY

CHEMICAL STABILITY Stable

CONDITIONS TO AVOID Excessive heating over long periods of time

degrades the product.

INCOMPATIBLE MATERIALS Strong oxidising substances

Strong acids Strong alkalis

HAZARDOUS DECOMPOSITION PRODUCTS Carbon oxides

Nitrogen oxides

Burning produces obnoxious and toxic fumes.

SECTION 11 - TOXICOLOGICAL PROPERTIES

ACUTE ORAL TOXICITY (LD50, RAT) > 1000 mg / kg

ACUTE DERMAL TOXICITY (LD50, RABBIT) No data

ACUTE INHALATION TOXICITY (LD50, RAT) No data

EYE AND SKIN CONTACT Corrosive to eyes and skin. Severe eye and skin

irritant. Repeated exposure may cause skin

sensitisation.

CARCINOGENICITY Not a known carcinogen.



SECTION 12 - ECOLOGICAL INFORMATION Material is expected to cause long term adverse effects in the aquatic environment. This product is not readily biodegradable. **SECTION 13 - DISPOSAL CONSIDERATIONS WASTE DISPOSAL** Use a reputable waste disposal contractor. Waste disposal measures must comply with all Local and National By-laws. **SECTION 14 - TRANSPORT INFORMATION UN NUMBER** 1760 **IMO SHIPPING NAME** Corrosive liquid, N.O.S. **IMO CLASS AND DANGER GROUP** Class 8, Danger Group III **IMO SUBSIDIARY RISK(S)** None **SECTION 15 - REGULATORY INFORMATION RISK (R) PHRASES** R 21 / 22 - Harmful in contact with skin and if swallowed. R 34 - Causes burns. R 36 / 38 - Irritating to eyes and skin. R 43 - May cause sensitisation by skin contact. R 52 / 53 - Harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment. **SAFETY (S) PHRASES** S 1 / 2 - Keep locked up and out of reach of children. S 26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 28 - After contact with skin, wash immediately with plenty of water and soap.



S 36 / 37 / 39 - Wear suitable protective clothing, gloves and eye/face protection.

S 45 – In case of accident or if you feel unwell, seek medical advice immediately.

S 61 - Avoid release to the environment. Refer to special instruction / material safety data sheet.

SECTION 16 - OTHER INFORMATION	
Alert workers to this hazardous potential and ensure precautions are taken. In cases always seek medical advice.	of any discomfort

All information is given in good faith but without guarantee in respect of accuracy. No responsibility is accepted for error of omission or the consequences thereof.

Flowcrete SA (Pty) Ltd is an RPM Company